

Smart office assistant

Harnessing the power of the Cloud, these smart all in one printers automate everyday document processes, leaving you free to focus on core business activities.

Intelligent workflow tools

- Intuitive user interface
- Ricoh Smart apps
- Cloud-share services
- Smartphone connection

Ricoh's super-sized 10.1 inch Smart Operation Panel is host to a suite of intelligent workflow tools. Pre-installed Smart apps, such as ID Card Copy, automate time-consuming processes. More applications can be installed on demand. It is easy to print from and scan to smartphones and tablets, and critical documents can be scanned in colour directly to DropBox[™] or Sharepoint[™].

Simply more productive

- 35 & 43 ppm print speeds
- 52 256 gsm support
- Large paper capacity
- Offline stapler option

To save time, double sided originals are scanned in a single pass. The first immaculate 1,200 dpi print is ready in under 6 seconds. Multipage documents are produced at speeds of 35 or 43 pages per minute and can be quickly collated using the offline stapler option. The optional high capacity paper trays further enhance productivity. It is easy to print onto envelopes and labels. And, with the printer switching from one tray to another, you need never run out of paper. Despite their advanced functionality, Ricoh's new all in one printers are surprisingly easy to setup and support. With their compact design and quiet operation, they are a perfect fit for every office. Ricoh's installation wizard simplifies setup. To safeguard information, they support tap and go authentication and confidential documents can be securely locked, pending release. Clever energy saving features reduce power consumption and contribute to a low total cost of ownership.

A friendly and affordable solution

- Space saving design
- Secure authentication
- Confidential printing
- Low noise levels



RICOH IM 350FLT/ IM 430FLT

MAIN SPECIFICATIONS


GENERAL	IM 350	IM 350F	IM 430F		
Varm-up time		22 seconds			
First output speed: B/W	5.4 seconds	5.4 seconds	4.5 seconds		
Continuous output speed	35 ppm	35 ppm	4.5 seconds 43 ppm		
lemory: standard	35 ppm	2 GB	45 ppm		
		2 GB			
lemory: maximum					
DD: standard		320 GB			
DD: maximum		320 GB			
PDF capacity		50 sheets			
/eight		30.5 kg			
imensions: W x D x H		476 x 442 x 510 mm			
ower source		220 - 240 V, 50 - 60 Hz			
		,			
OPIER					
lultiple copying		Up to 999 copies			
opy resolution: maximum		600x600 dpi			
moo		From 25% to 400% in 1% steps			
RINTER					
PU		Intel Atom Processor Bay Trail 1.46GHz			
rinter language: standard	PCI 5e P	CL6, PostScript 3 (emulation), PDF direct (emulation)		
rinter language: option					
	Genuine Ad	dobe® PostScript®3™, IPDS, PDF Direct fr			
rint resolution: maximum		1,200 x 1,200 dpi			
etwork interface: standard		10 base-T/100 base-TX/1000 base-T, USE			
etwork interface: option	Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n), Additional NIC (2nd port)				
lobile printing capability	Apple AirPrint, Mop	ria®, Google Cloud Print, NFC, Ricoh Sma	rt Device Connector		
etwork protocol		TCP/IP (IP v4, IP v6)			
Vindows® environments	Windows® 7, Windows® 8.1, Windows® 10, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012,				
		dows® Server 2012R2, Windows® Server			
lac OS environments		Macintosh OS X v10.10 or later			
NIX environments	UNIX Sun® Solaris, HF	P-UX, SCO OpenServer, RedHat® Linux, IE	3M® AIX. Citrix XenApp		
AP® environments		SAP® R/3®, SAP® S/4®	a a construction of the		
ther supported environments		NDPS Gateway			
	AS/400® using OS/400 Host Print Transform IBM iSeries				
SCANNER	43.4 ipm (simplex)/80 ipm (duplex)				
Resolution: maximum	600 dpi				
ile formats	Single Page TIFF, Single page JPEG, Single page PDF, Single page High compression PDF, Single page PDF/A, Multi page TIF Multi page PDF, Multi page High compression PDF, Multi page PDF/A				
Scan modes		E-mail, Folder, USB, SD Card			
AX (IM 350F, IM 430F)					
Sircuit		PSTN, PBX			
ransmission speed	-	2 seconds	2 seconds		
odem speed: maximum	-	33.6 Kbps	33.6 Kbps		
ompression method		MH, MR, MMR, JBIG			
canning speed	-	28 spm	28 spm		
emory: standard	-	4 MB, (320 pages)	4 MB, (320 pages)		
emory: maximum	-	4 MB, (320 pages)	4 MB, (320 pages)		
APER HANDLING					
ecommended paper size	Standard paper tray(s): A4, A5, A6, B5, B6 Optional paper tray(s): A4, A5, A6, B5, B6 Bypass tray: A4, A5, A6, B5, B6, Custom Size paper				
		500 sheets			
aper input: standard		2,100 sheets			
aper input: maximum		250 sheets			
aper input: maximum aper output: standard	Trave: (52 - 23		$(52 - 162 \text{ g/m}^2)$		
aper input: maximum aper output: standard aper weight		250 sheets 20 g/m²), Bypass: (52 - 256 g/m²), Duplex: paper, Color paper, Letterhead, Preprinted			
aper input: maximum aper output: standard aper weight aper types		20 g/m²), Bypass: (52 - 256 g/m²), Duplex:			
aper input: maximum aper output: standard aper weight aper types COLOGY	Plain paper, Recycle paper, Special	20 g/m²), Bypass: (52 - 256 g/m²), Duplex: paper, Color paper, Letterhead, Preprinted	paper, Envelope, Label paper, OHP		
aper input: maximum aper output: standard aper weight aper types COLOGY ower consumption: max.	Plain paper, Recycle paper, Special Less than 1,280 W	20 g/m²), Bypass: (52 - 256 g/m²), Duplex: paper, Color paper, Letterhead, Preprinted Less than 1,280 W	paper, Envelope, Label paper, OHP Less than 1,290 W		
aper input: maximum aper output: standard aper weight aper types COLOGY ower consumption: max. ower consumption: operation	Plain paper, Recycle paper, Special	20 g/m²), Bypass: (52 - 256 g/m²), Duplex: paper, Color paper, Letterhead, Preprinted Less than 1,280 W 562 W	paper, Envelope, Label paper, OHP		
aper input: maximum aper output: standard aper weight aper types COLOGY ower consumption: max. ower consumption: operation ower consumption: ready	Plain paper, Recycle paper, Special Less than 1,280 W	20 g/m²), Bypass: (52 - 256 g/m²), Duplex: paper, Color paper, Letterhead, Preprinted Less than 1,280 W 562 W 91.5 W	paper, Envelope, Label paper, OHP Less than 1,290 W		
aper input: maximum aper output: standard aper weight aper types COLOGY ower consumption: max. ower consumption: may ower consumption: ready ower consumption: sleep	Plain paper, Recycle paper, Special Less than 1,280 W 562 W	20 g/m²), Bypass: (52 - 256 g/m²), Duplex: paper, Color paper, Letterhead, Preprinted Less than 1,280 W 562 W 91.5 W 0.79 W	paper, Envelope, Label paper, OHP Less than 1,290 W 625 W		
aper input: standard aper input: maximum aper output: standard aper weight aper types COLOGY ower consumption: max. ower consumption: ready ower consumption: ready ower consumption: sleep EC* It is a reference value based on	Plain paper, Recycle paper, Special Less than 1,280 W	20 g/m²), Bypass: (52 - 256 g/m²), Duplex: paper, Color paper, Letterhead, Preprinted Less than 1,280 W 562 W 91.5 W	paper, Envelope, Label paper, OHP Less than 1,290 W		

3x 250-sheet paper tray 3x 500-sheet paper tray

RICOH IM 350FLT/ IM 430FLT

MAIN SPECIFICATIONS

OTHER OPTIONS	IM 350	IM 350F	IM 430F	
Fax connection unit, High cabinet, Low cabinet, IPDS unit, Offline stapler, PostScript 3, XPS direct print, Bi-directional IEEE 1284, IEEE 802.11 a/b/g/n, USB Device Server, File format converter, OCR unit, Enhanced security HDD, Data overwrite security unit, Page keeper, Key counter bracket, Extended USB board, Paperlock				
CONSUMABLES Starter toner	14,000 prints	14,000 prints	17,400 prints	🛞 Blue
Drum Foner (black)	14,000 prints	70,000 sheets 14,000 prints	17,400 prints	



Ricoh UK Ltd.

300 and 800 Pavilion Drive Northampton **Business Park** NN4 7YL Northampton United Kingdom



+44(0)1604 814900



info@copierpriceconfigurator.com

www.copierpriceconfigurator.com



All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2021 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.





Adobe: PDF





